



TUBE-STYLE BANNER 4FT. BASE X 5.5FT.



Shown with standard packaging



Shown with optional Silver bag

PRODUCT DESCRIPTION

Expedite your banner stand setup time while adding lavish appeal with our newest newest Tube fabric display! Hardware comes stock at 7.5' and 5.5' tall with height options of 8.5', 9.5', and 11.5' with the use of optional 2ft extension poles. Customize a single-sided (choose white or black back fabric) or double-sided dye-sublimated stretch fabric print. To assemble, secure the longest vertical poles onto the black steel base using the included allen wrench. Add the bottom horizontal support pole and secure. Snap on the remaining vertical poles, then top frame with the curved bar to complete. Tilt or lay down the frame to swiftly drape with the pillowcase graphic. Using the industrial-sized zipper, zip underneath the bottom support pole, maximizing fabric tension.

DISPLAY DIMENSIONS	49"W x 66", 90", 114", or 138"H x 10"D
GRAPHIC SIZE	50" W x 66", 90", 112", or 138"H

GRAPHIC MATERIAL

Stretch fabric

GRAPHIC FINISHING

Sewn on left, right, and top with a zipper at the bottom

DISPLAY CONSTRUCTION

Steel base with aluminum tube frame (1.125" / 28.5mm dia.)

SHIPPING WEIGHTS & DIMENSIONS

Shipping Weight	21 lbs (stand only) 23 lbs (with graphic)
Shipping Dimensions	51"L x 11"W x 4"H

LARGE QUANTITY FREIGHT

Freight Shipping	60 boxes per 40"L x 40"W x 71"H skid
Freight Weight	900 lbs



Silver light


TUBE-STYLE BANNER 4FT BASE X 5.5FT.

PARTS LIST

Based on 36 x 90 frame



Qty.1 - Steel base w/ allen key & screws




Qty.2 - 32" tube



Qty.4 - 24" tube



Qty.1 - 36" Top tube



Qty.1 - 36" Bottom tube

TUBE-STYLE BANNER 4FT. BASE X 5.5FT.


SET UP INSTRUCTIONS

Based on 36"x90" frame

Step 1
Remove all pieces from the box or case.




Step 2
Connect (2) 32" vertical tubes to the horizontal support bar.



Step 3
Secure the (2) 32" vertical tubes to the black steel base using the supplied screws and allen key.



Step 4
Snap on the remaining 24" vertical poles.



Step 5
Then top the frame with the 36" top tube.



Step 6
The frame is ready for the graphic to be installed.

